## Aquaculture

VOL. 300 NOS. 1-4

CONTENTS

**27 FEBRUARY 2010** 

(Abstracts/contents list published in: Aquatic Science and Fisheries Abstracts, Biological Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, Current Contents A, B & ES, EMBiology, Environment Abstracts, Freshwater and Aquaculture Contents Tables, Geo Abstracts, Geobase, Marine Science

Contents Tables, Zoological Record). Also covered in the abstract and citation database SCOPUS<sup>®</sup>.

Full text available in ScienceDirect<sup>®</sup>

## Review

- The reproductive conditions of male shrimps, genus *Penaeus*, sub-genus *Litopenaeus* (open thelyca penaeoid shrimps):

  A review

  LAMore Montago (Durtago Costa Rica)
  - J. Alfaro-Montoya (Puntarenas, Costa Rica)

## Disease

- Coastal fish farming does not affect the total parasite communities of wild fish in SW Mediterranean
- D. Fernandez-Jover (Alicante, Spain; Perpignan Cedex, France), E. Faliex (Perpignan Cedex, France), P. Sanchez-Jerez (Alicante, Spain), P. Sasal (Perpignan Cedex, France; Papetoai, French Polynesin) and J.T. Bayle-Sempere (Alicante, Spain)
- Development of monoclonal antibodies for simple detection and differentiation of Vibrio mimicus from V. cholerae and Vibrio spp. by dot blotting
  - C. Pengsuk, S. Longyant, S. Rukpratanporn, P. Chaivisuthangkura, P. Sridulyakul, P. Sithigorngul (Bangkok, Thailand) . . . 17

## Cenetic

- Inflammation induced by inactivated Aeromonas hydrophila in Nile tilapia fed diets supplemented with Saccharomyces cerevisiae
- R.J.W. Blonk, H. Komen (Wageningen, the Netherlands), A. Kamstra (IJmuiden, the Netherlands) and J.A.M. van Arendonk (Wageningen, the Netherlands).

  In search for indirect criteria to improve residual feed intake in sea bass (Dicentrarchus labrax): Part 1: Phenotypic
- In search for indirect criteria to improve residual feed intake in sea bass (*Dicentrarchus labrax*): Part 1: Phenotypic relationship between residual feed intake and body weight variations during feed deprivation and re-feeding periods L. Grima, M. Vandeputte (Palavas-les-Flots, Jouy-en-Josas, France), F. Ruelle, A. Vergnet (Palavas-les-Flots, France), M. Mambrini (Jouey-en-Josas, France) and B. Chatain (Palavas-les-Flots, France).....

(continued on last page of this issue)

43

50

Visit the Elsevier Aquaculture Website today!

New FREE Online Features:

- Table of Contents NOW WITH ABSTRACTS
- Full Search on Abstracts, Authors and Keywords
- Author and Subject Index

Bookmark: http://www.elsevier.com/locate/aqua-online or http://www.elsevier.com/locate/aqua-online



Available online at www.sciencedirect.com

ScienceDirect



Heritability of resistance to viral nervous necrosis in Atlantic cod (Gadus morhua L)	
J. Ødegård (Ås, Norway), AI. Sommer and A.K. Præbel (Tromsø, Norway)	59
V. Skagemo, A.K. Sonesson, T.H.E. Meuwissen (Ås, Norway) and M. Rye (Sunndalsøra, Norway)	65
Husbandry and Management	
Larval development and juvenile growth of the sea cucumber Stichopus sp. (Curry fish)  C. Hu (Guangzhou, China), Y. Xu, J. Wen (Guangzhou, Beijing, China), L. Zhang (Guangzhou, China), S. Fan and T. Su	
(Guangzhou, Beijing, China)	73
D.T. Nhan (Gent, Belgium; HCM City, Vietnam), M. Wille (Gent, Belgium), L.T. Hung (HCM City, Vietnam) and	00
P. Sorgeloos (Gent, Belgium)	80
M. Zarain-Herzberg (Sinaloa, México), I. Fraga (La Habana, Cuba) and A. Hernandez-Llamas (La Paz, México) Stocking density and sex influence individual growth of Senegalese sole (Solea senegalensis)	87
P. Sánchez, P.P. Ambrosio and R. Flos (Barcelona, Spain)	93
S. Curiel-Ramírez (Boca del Río, Mexico) and J. Cáceres-Martínez (Ensenada, Mexico)	102
heart activities  E. Lambooij (Lelystad, The Netherlands), E. Grimsbø (Bergen, Norway), J.W. van de Vis (IJmuiden, The Netherlands),	
H.G.M. Reimert (Lelystad, The Netherlands), R. Nortvedt (Bergen, Norway) and B. Roth (Stavanger, Norway)	107
J.M.J. Ruiz-Velazco (La Paz, Nayant, Mexico), A. Hernández-Llamas, V.M. Gomez-Muñoz and F.J. Magallon (La Paz, Mexico)	113
The development of biofouling, particularly the hydroid <i>Ectopleura larynx</i> , on commercial salmon cage nets in Mid-Norway  J. Guenther, E. Misimi and L.M. Sunde (Trondheim, Norway)	120
Growth, condition, and survival of the Pacific oyster Crassostrea gigas cultivated within and outside a subtropical lagoon  J. Chávez-Villalba, A. Arreola-Lizárraga, S. Burrola-Sánchez and F. Hoyos-Chairez (Sonora, Mexico)	128
	120
Nutrition  Differential gaps expression in Literary and the same in response to diet changes	
Differential gene expression in <i>Litopenaeus vannamei</i> shrimp in response to diet changes G. Chávez-Calvillo, E. Perez-Rueda, G. Lizama, J.J. Zúñiga Aguilar, G. Gaxiola, G. Cuzon and L. Arena-Ortiz (México)	137
Dietary probiotic live yeast modulates antioxidant enzyme activities and gene expression of sea bass (Dicentrarchus labrax) larvae	141
D. Tovar-Ramírez (Plouzane, France), D. Mazurais, J.F. Gatesoupe, P. Quazuguel, C.L. Cahu and J.L. Zambonino-Infante (Plouzane, St Pee Sur Nivelle, France)	142
Can dietary lipid source circadian alternation improve omega-3 deposition in rainbow trout?  T.D. Brown, D.S. Francis and G.M. Turchini (Warrnambool, Victoria, Australia)	148
High DHA content in <i>Artemia</i> is ineffective to improve <i>Octopus vulgaris</i> paralarvae rearing P. Seixas, M. Rey-Méndez (Santiago de Compostela, Spain), L.M.P. Valente (Porto, Portugal) and A. Otero (Santiago de	
Compostela, Spain)	156
Digestive lipase activity through development and after fasting and re-feeding in the whiteleg shrimp <i>Penaeus vannamei</i> C. Rivera-Pérez, M. de los Ángeles Navarrete del Toro and F.L. García-Carreño (La Paz, Mexico)	163
Energy dilution with α-cellulose in diets for Atlantic cod (Gadus morhua L.) juveniles — Effects on growth, feed intake, liver size and digestibility of nutrients	
A. Lekva, AC. Hansen (Bergen, Norway), G. Rosenlund (Stavanger, Norway), Ø. Karlsen (Storebø, Norway) and GI. Hemre (Bergen, Norway)	169
Swimming performance at different temperatures and fatty acid composition of Arctic charr (Salvelinus alpinus) fed palm and rapeseed oils	105
A. Pettersson, J. Pickova (Uppsala, Sweden) and E. Brännäs (Umeå, Sweden)	176
Effects of mannan oligosaccharide (MOS) supplementation on growth performance, feed utilisation, intestinal histology and gut microbiota of gilthead sea bream (Sparus aurata)	.,,
A. Dimitroglou, D.L. Merrifield (Plymouth, UK), P. Spring (Zollikofen, Switzerland), J. Sweetman (Cephalonia, Greece), R. Moate and S.J. Davies (Plymouth, UK).	182
Suitability of two seaweeds, Gracilaria lemaneiformis and Sargassum pallidum, as feed for the abalone Haliotis discus hannai Ino	102
Z. Qi (Guangzhou, Qingdao, China), H. Liu (Yantai, China), B. Li, Y. Mao, Z. Jiang, J. Zhang and J. Fang (Qingdao, China)	189
Physiology and Endocrinology	
Effect of age-at-weaning on digestive capacity of white seabream (Diplodus sargus)	
I. Guerreiro, M. de Vareilles (Faro, Portugal), P. Pousão-Ferreira (Olhão, Portugal), V. Rodrigues, M.T. Dinis (Faro, Portugal) and L. Ribeiro (Faro, Olhão, Portugal)	194
Mn labelling of living oysters: Artificial and natural cathodoluminescence analyses as a tool for age and growth rate determination of C. gigus (Thunberg, 1793) shells	134
F. Lartaud (Paris cedex, Plouzané, France), M. de Rafelis (Paris cedex, France), M. Ropert (Port-en-Bessin, France),	
L. Emmanuel (Paris cedex, France), P. Geairon (La Tremblade, France) and M. Renard (Paris cedex, France)	206